

This listing of claims will replace all prior versions of claims in the application.

Listing of Claims:

Claims 1-19 (canceled)

Claim 20 (new): An optically translucent thermoplastic elastomer comprising

(A) 10 to 90 weight percent of propylene homopolymer principally containing propylene units of exactly alternating configuration and having a syndiotactic pentad fraction of at least 0.86, and

(B) 90 to 10 weight percent of an ethylene-propylene-nonconjugated diene terpolymer rubber and/or an ethylene-propylene copolymer rubber, said component (B) having an ethylene content of at least 74% and having been completely crosslinked.

Claim 21 (new) The thermoplastic elastomer of claim ²⁰ 1 wherein component (A) is selected from the group consisting of Hoechst Grade G49M polypropylene, Hoechst Grade G53 polypropylene, Hoechst Grade G20/28 polypropylene, and mixtures thereof.

Claim 22 (new) The thermoplastic elastomer of claim ²⁰ 1 wherein component (B) is an ethylene-propylene-diene terpolymer having an ethylene content between 74% and 77%.

Claim 23 (new) The thermoplastic elastomer of claim ²⁰ 1 including a mineral oil and an antioxidant.

Claim 24 (new) The thermoplastic elastomer of claim ²⁰ 1 having a haze value of 50% or less, as measured by ASTM D1003-61.